



Sestava 2x B&C Speakers 10HPL64 + Fane CD150 n-lite + Megaton A1060

Osazení:

- 2x B&C Speakers 10HPL64 8/Ohm
<http://eshop.prodance.cz/DetailPage.asp?DPG=82621>
- Fane CD150 n-lite 8/Ohm
<http://eshop.prodance.cz/DetailPage.asp?DPG=90673>
- Megaton A1060
<http://eshop.prodance.cz/DetailPage.asp?DPG=83834>

Schéma výhybky:






CURSOR: dy = 29.0573 x = 30007.1014 (2704)

2x 10HPL64 + CD150N + A9060


MLSSA: Frequency Domain



Level (133:18000 Hz) = 99.67 dB SPL/watt (4 ohms, @1.80 meters) (0.33 oct)


2x 10HPL64 + CD150N + A1060

MLSSA: Frequency Domain



Overlay Compare: dev= +21/-12, std= 7, avg= -22

2x 10HPL64 + CD150N + A1060




Overlay Compare: dev= +3.5/-1.5, std= 0.91, avg= 1.3

2x 10HPL64 + CD150N + A1060


...vliv odporu 40R

MLSSA: Frequency Domain




mean: 11.23, rms: 11.58, std: 2.81, max: 18.67, min: 3.231

2x 10HPL64 + CD150N + A1060



-69.39 dB, 3374 Hz (76), 2.200 msec (21)



-68.68 dB, 3418 Hz (77), 1.980 msec (19)