

MLSSA SPO 4.0D #960903-3057-3075

Measured Data

QC Limits

Line	Parameter	Value	Units
1	RMSE-free	1.01	Ohms
2	Fs	42.46	Hz
3	Re	5.89	Ohms[dc]
4	Res	159.55	Ohms
5	Qms	9.37	
6	Qes	0.35	
7	Qts	0.33	
8	L1	1.38	mH
9	L2	2.61	mH
10	R2	10.66	Ohms
11	RMSE-load	0.80	Ohms
12	Vas(Sd)	163.86	liters
13	Mms	163.22	grams
14	Cms	86	$\mu\text{M}/\text{Newton}$
15	B1	27.23	Tesla-M
16	SPLref(Sd)	97.4	dB[Re]
17	Rub-index	0.00	


Method: Mass-loaded (120.00 grams)

Area (Sd): 1164.16 sq cm

DCR mode: Measure (-0.07 ohms)

QC file: CLOSED

Analysis successful. Shift in Fs = -22.6% (-20% to -50% is recommended).




Level (55.999 Hz) = 95.48 dB SPL/watt (8 ohms, @1.50 meters)

P.D. 188

1-2-82 10:52 PM

MLSSA: Frequency Domain



CURSOR: y = 2.3412e-006 x = 13.0900 (1190)

P.D. 188