

Measured Data

QC Limits

Line	Parameter	Value	Units
1	RMSE-free	0.38	Ohms
2	Fs	71.74	Hz
3	Re	6.07	Ohms[dc]
4	Res	108.06	Ohms
5	Qms	11.07	
6	Qes	0.62	
7	Qts	0.59	
8	L1	0.49	mH
9	L2	0.62	mH
10	R2	2.41	Ohms
11	RMSE-load	0.60	Ohms
12	Vas(Sd)	39.95	liters
13	Mms	20.76	grams
14	Cms	237	$\mu\text{M}/\text{Newton}$
15	B1	9.56	Tesla-M
16	SPLref(Sd)	95.6	dB[Re]
17	Rub-index	0.01	

Method: Mass-loaded (20.00 grams)

Area (Sd): 346.36 sq cm


DCR mode: Measure (-0.06 ohms)

QC file: CLOSED

Analysis successful. Shift in Fs = -25.5% (-20% to -50% is recommended).


SELENIUM 10PW3

MLSSA: Parameters



mean: 9.447, rms: 13.51, std: 9.655, max: 112.1, min: 6.091

MLSSA: Frequency Domain



Level (100:6503 Hz) = 96.14 dB SPL/watt (8 ohms, @1.00 meters)

10PW3