

Measured Data

QC Limits

Line	Parameter	Value	Units
1	RMSE-free	0.52	Ohms
2	Fs	84.91	Hz
3	Re	5.79	Ohms [dc]
4	Res	222.79	Ohms
5	Qms	13.40	
6	Qes	0.35	
7	Qts	0.34	
8	L1	-0.05	mH
9	L2	1.25	mH
10	R2	12.64	Ohms
11	RMSE-load	0.50	Ohms
12	Vas (Sd)	21.75	liters
13	Mms	27.21	grams
14	Cms	129	$\mu\text{M}/\text{Newton}$
15	B1	15.54	Tesla-M
16	SPLref (Sd)	97.7	dB [Re]
17	Rub-index	0.00	

Method: Mass-loaded (40.00 grams)

Area (Sd): 346.36 sq cm


DCR mode: Measure (-0.07 ohms)

QC file: CLOSED

Analysis successful. Shift in Fs = -35.3% (-20% to -50% is recommended).

SELENIUM 10MB1P


MLSSA: Parameters



CURSOR: dy = 0.709862 x = 1000.9766 (1025)

DTTO

MLSSA: Frequency Domain



Level (200:6004 Hz) = 98.47 dB SPL/watt (8 ohms, @1.00 meters)

SELENIUM 10MB1P