

Measured Data

QC Limits

Line	Parameter	Value	Units
1	RMSE-free	0.39	Ohms
2	Fs	61.35	Hz
3	Re	5.03	Ohms[dc]
4	Res	39.68	Ohms
5	Qms	3.54	
6	Qes	0.45	
7	Qts	0.40	
8	L1	0.36	mH
9	L2	0.76	mH
10	R2	3.43	Ohms
11	RMSE-load	0.49	Ohms
12	Vas(Sd)	50.73	liters
13	Mms	22.35	grams
14	Cms	301	$\mu\text{M}/\text{Newton}$
15	B1	9.82	Tesla-M
16	SPLref(Sd)	96.0	dB[Re]
17	Rub-index	0.01	

Method: Mass-loaded (40.00 grams)

Area (Sd): 346.36 sq cm


DCR mode: Measure (-0.07 ohms)

QC file: CLOSED

Analysis successful. Shift in Fs = -41.3% (-20% to -50% is recommended).


10HPL51

MLSSA: Parameters



mean: 7.981, rms: 9.52, std: 5.19, max: 44.72, min: 5.059

MLSSA: Frequency Domain





---

Level (100:6004 Hz) = 96.66 dB SPL/watt (8 ohms, @1.00 meters)

---

10HPL51

MLSSA: Frequency Domain




---

CURSOR: y = 3.05251e-005 x = 10.3620 (942)

---

10HPL51