

MLSSA SPD 4.W #960903-3057-3075

Measured Data

QC Limits

Line	Parameter	Value	Units
1	RMSE-free	0.25	Ohms
2	Fs	76.90	Hz
3	Re	5.81	Ohms[dc]
4	Res	54.13	Ohms
5	Qms	3.28	
6	Qes	0.35	
7	Qts	0.32	
8	L1	0.49	mH
9	L2	0.98	mH
10	R2	4.90	Ohms
11	RMSE-load	0.49	Ohms
12	Vas(Sd)	29.91	liters
13	Mms	24.13	grams
14	Cms	177	$\mu\text{M}/\text{Newton}$
15	B1	13.87	Tesla-M
16	SPLref (Sd)	97.7	dB[Re]
17	Rub-index	0.00	


Method: Mass-loaded (40.00 grams)  
 DCR mode: Measure (-0.27 ohms)

Area (Sd): 346.36 sq cm  
 QC file: CLOSED

Analysis successful. Shift in Fs = -36.9% (-20% to -50% is recommended).


CR.10M

MLSSA: Parameters



CURSOR: dy = -0.383836 x = 1000.9766 (1025)

MLSSA: Frequency Domain




---

Level (200:5060 Hz) = 97.78 dB SPL/watt (8 ohms, @1.00 meters)

---

CRESC.10M