



mean: 95.92, rms: 96.24, std: 2.11, max: 99.01, min: 87.07

MACKIE SRM350 U2

MLSSA: Frequency Domain



-78.23 dB, 1420 Hz (32), 3.190 msec (30)




---

mean: -0.0003878, rms: 0.001349, std: 0.001292, max: 0.002633, min: -0.003746

---

MACKIE SRM350 V2

MLSSA: Time Domain




---

mean: -262.9, rms: 267.1, std: 47.41, max: -18.35, min: -323.3

---

MACKIE SRM350 V2




---

Overlay Compare: dev= +22/-14, std= 9.2, avg= -24

---

MACKIE SRM350 V2

MLSSA: Frequency Domain




---

Overlay Compare: dev= +1.8/-2, std= 1.4, avg= 2.3

---

MACKIE SRM350 V2




---

Overlay Compare: dev= +15/-9.9, std= 5.6, avg= -14

---

MACKIE SRM350 V2

MLSSA: Frequency Domain




---

Overlay Compare: dev= +9.8/-9.3, std= 5.2, avg= -11

---

MACKIE SRM350 V2




---

mean: 14.27, rms: 14.45, std: 2.287, max: 23.32, min: 9.814

---

SRM350 V2

MLSSA: Frequency Domain




---

mean: 42.48, rms: 45.55, std: 16.45, max: 68.57, min: 8.94

---


SRM350 V2



Level (67:6803 Hz) = 94.23 dB SPL/watt (12 ohms, @1.00 meters)

10" P/N 0025990 LN10/2001-12 FROM MACKIE SRM350 MK2

MLSSA: Frequency Domain



-69.59 dB, 3374 Hz (76), 3.520 msec (33)

Measured Data

QC Limits

Line	Parameter	Value	Units
1	RMSE-free	0.36	Ohms
2	Fs	67.76	Hz
3	Re	8.97	Ohms[dc]
4	Res	69.29	Ohms
5	Qms	5.68	
6	Qes	0.74	
7	Qts	0.65	
8	L1	0.74	mH
9	L2	0.84	mH
10	R2	4.20	Ohms
11	RMSE-load	0.34	Ohms
12	Vas(Sd)	28.93	liters
13	Mms	34.71	grams
14	Cms	159	$\mu\text{M}/\text{Newton}$
15	B1	13.42	Tesla-M
16	SPLref(Sd)	92.7	dB[Re]
17	Rub-index	0.01	

Method: Mass-loaded (30.00 grams)

Area (Sd): 360.00 sq cm


DCR mode: Measure (-0.09 ohms)

QC file: CLOSED

Analysis successful. Shift in Fs = -26.4% (-20% to -50% is recommended).

10" P/N 0025990 LN10/2001-12 FROM MACKIE SRM350V2

MLSSA: Parameters



mean: 12.93, rms: 15.07, std: 7.741, max: 79.15, min: 9.062

MLSSA: Frequency Domain