


mean: 99.14, rms: 99.65, std: 2.63, max: 106.25, min: 89.93


NX-M10A

MLSSA: Frequency Domain




CURSOR: y = 99.326 x = 18099.6976 (1631)

NX-M10A




-69.00 dB, 2264 Hz (51), 1.650 msec (16)

DTTO



mean: 0.0003662, rms: 0.002699, std: 0.002674, max: 0.004843, min: -0.00712


NX-M10A



Overlay Compare: dev= +23/-11, std= 8, avg= -25


NX-M10A

MLSSA: Frequency Domain



mean: -615.5, rms: 618.3, std: 58.85, max: -307.6, min: -697


NX-M10A



Overlay Compare: dev= +13/-5.3, std= 4.2, avg= -13


NX-M10A

MLSSA: Frequency Domain



Overlay Compare: dev= +11/-6, std= 4, avg= -13


NX-M10A



mean: 99.35, rms: 99.85, std: 2.61, max: 105.53, min: 86.17


NX-M10A STAGE MONITOR

MLSSA: Frequency Domain



Overlay Compare: dev= +0.41/-3.1, std= 0.31, avg= -0.11


NX-M10A STAGE MONITOR



mean: 19.61, rms: 20.93, std: 7.32, max: 30.5, min: 3.288


NX M10A

MLSSA: Frequency Domain



mean: 9.12, rms: 9.689, std: 3.27, max: 50.52, min: 5.095

NX M10A




Level (100:6703 Hz) = 95.36 dB SPL/watt (4 ohms, @1.00 meters)

10" FROM RCF NX M10A

7-31-89 7:52 PM

MLSSA: Frequency Domain



-69.41 dB, 3862 Hz (87), 3.630 msec (34)

Measured Data

QC Limits

Line	Parameter	Value	Units
1	RMSE-free	0.62	Ohms
2	Fs	56.39	Hz
3	Re	3.13	Ohms[dc]
4	Res	65.17	Ohms
5	Qms	7.15	
6	Qes	0.34	
7	Qts	0.33	
8	L1	0.35	mH
9	L2	0.50	mH
10	R2	2.52	Ohms
11	RMSE-load	0.37	Ohms
12	Vas(Sd)	42.64	liters
13	Mms	31.48	grams
14	Cms	253	$\mu\text{M}/\text{Newton}$
15	B1	10.08	Tesla-M
16	SPLref(Sd)	95.3	dB[Re]
17	Rub-index	0.20	

Method: Mass-loaded (40.00 grams)

Area (Sd): 346.36 sq cm


DCR mode: Measure (-0.14 ohms)

QC file: CLOSED

Analysis successful. Shift in Fs = -31.1% (-20% to -50% is recommended).

10" FROM RCF NX-M10A

MLSSA: Parameters



mean: 5.99, rms: 8.726, std: 6.345, max: 68.61, min: 3.218

MLSSA: Frequency Domain