


---

mean: 22.71, rms: 26.53, std: 13.71, max: 73.99, min: 5.753

---

JFX560 KONTROLA

MLSSA: Frequency Domain




---

Level (89:19997 Hz) = 98.99 dB SPL/watt (8 ohms, @1.85 meters) (0.33 oct)


---

EAW JFX 560




-74.43 dB, 3817 Hz (86), 1.320 msec (13)

DT10



Level (89:19997 Hz) = 99.00 dB SPL/watt (8 ohms, @1.85 meters)




---

mean: -0.0001071, rms: 0.001215, std: 0.00121, max: 0.005057, min: -0.002088

---

EAW JFX 560

MLSSA: Time Domain




---

mean: -4.864, rms: 28.91, std: 28.5, max: 137.6, min: -47.58

---


EAW JFX 560



Overlay Compare: dev= +22/-9.3, std= 6.2, avg= -25


EAW JFX 560

MLSSA: Frequency Domain



Overlay Compare: dev= +0.93/-2.2, std= 0.44, avg= -0.0035


EAW JFX 560




Level (67:20008 Hz) = 98.26 dB SPL/watt (8 ohms, @1.30 meters)

JFX560 OPR. JAKO MONITOR

MLSSA: Frequency Domain




-68.11 dB, 888 Hz (20), 3.190 msec (30)



-68.11 dB, 888 Hz (20), 3.190 msec (30)

DTTO



Level (67:20008 Hz) = 98.25 dB SPL/watt (8 ohms, 01.30 meters) (0.33 oct)

JFX560 OPR. JAKO MONITOR