

Measured Data

QC Limits

Line	Parameter	Value	Units
1	RMSE-free	0.66	Ohms
2	Fs	46.06	Hz
3	Re	5.23	Ohms[dc]
4	Res	88.57	Ohms
5	Qms	6.63	
6	Qes	0.39	
7	Qts	0.37	
8	L1	1.25	mH
9	L2	2.06	mH
10	R2	7.29	Ohms
11	RMSE-load	0.78	Ohms
12	Vas(Sd)	179.43	liters
13	Mms	140.34	grams
14	Cms	85	$\mu\text{M}/\text{Newton}$
15	B1	23.30	Tesla-M
16	SPLref(Sd)	98.3	dB[Re]
17	Rub-index	0.03	

Method: Mass-loaded (100.00 grams)

Area (Sd): 1225.42 sq cm


DCR mode: Measure (-0.06 ohms)

QC file: CLOSED

Analysis successful. Shift in Fs = -22.6% (-20% to -50% is recommended).


18PS76

MLSSA: Parameters



mean: 12.06, rms: 14.41, std: 7.887, max: 93.97, min: 5.226

MLSSA: Frequency Domain





---

Level (55:2500 Hz) = 97.80 dB SPL/watt (8 ohms, @1.50 meters)

---

18PS76

MLSSA: Frequency Domain




---

mean: 3.81e-007, rms: 7.112e-005, std: 7.112e-005, max: 0.0004368, min: -0.000

---

18PS76