

Measured Data

QC Limits

Line	Parameter	Value	Units
1	RMSE-free	0.46	Ohms
2	Fs	57.72	Hz
3	Re	5.41	Ohms[dc]
4	Res	85.75	Ohms
5	Qms	3.08	
6	Qes	0.19	
7	Qts	0.18	
8	L1	0.39	mH
9	L2	1.23	mH
10	R2	8.91	Ohms
11	RMSE-load	1.13	Ohms
12	Vas(Sd)	32.83	liters
13	Mms	39.02	grams
14	Cms	195	$\mu\text{M}/\text{Newton}$
15	B1	19.84	Tesla-M
16	SPLref(Sd)	96.9	dB[Re]
17	Rub-index	0.01	

Method: Mass-loaded (40.00 grams)

Area (Sd): 346.36 sq cm


DCR mode: Measure (-0.08 ohms)

QC file: CLOSED

Analysis successful. Shift in Fs = -27.3% (-20% to -50% is recommended).

D.A.S. 10-B


MLSSA: Parameters



CURSOR: dy = -0.711821 x = 799.8857 (216)

DITO


MLSSA: Frequency Domain



Level (200:3995 Hz) = 97.17 dB SPL/watt (8 ohms, @1.00 meters)

D.A.S. 10B

MLSSA: Frequency Domain



-74.21 dB, 621 Hz (14), 3.520 msec (33)