

Measured Data

QC Limits

Line	Parameter	Value	Units
1	RMSE-free	1.28	Ohms
2	Fs	250.21	Hz
3	Re	6.32	Ohms[dc]
4	Res	72.79	Ohms
5	Qms	6.28	
6	Qes	0.55	
7	Qts	0.50	
8	L1	0.38	mH
9	L2	0.86	mH
10	R2	11.34	Ohms
11	RMSE-load	2.41	Ohms
12	Vas(Sd)	3.99	liters
13	Mms	18.76	grams
14	Cms	22	$\mu\text{M}/\text{Newton}$
15	B1	18.48	Tesla-M
16	SPLref(Sd)	102.4	dB[Re]
17	Rub-index	0.04	

Method: Mass-loaded (30.00 grams)

Area (Sd): 363.05 sq cm


DCR mode: Measure (-0.07 ohms)

QC file: CLOSED

Analysis successful. Shift in Fs = -36.2% (-20% to -50% is recommended).


RCF MR10N301

MLSSA: Parameters



mean: 17.03, rms: 18.45, std: 7.1, max: 81.18, min: 6.374


MLSSA: Frequency Domain



Level (300:5005 Hz) = 102.14 dB SPL/watt (8 ohms, @1.00 meters)

RCF MR10N301

MLSSA: Frequency Domain



-63.87 dB, 2353 Hz (53), 3.520 msec (33)