


mean: 87.13, rms: 87.38, std: 1.91, max: 89.87, min: 79.99

ADAM AUDIO F7


MLSSA: Frequency Domain



-84.75 dB, 1065 Hz (24), 5.060 msec (47)

DTTO

Step Response - volts




mean: -5.983e-005, rms: 0.00196, std: 0.001959, max: 0.005732, min: -0.003217

ADAM AUDIO F7

MLSSA: Time Domain


Sensitivity Mag - dB SPL/watt (4 ohms, 01.50 meters) (0.33 oct)



CURSOR: y = 75.0045 x = 26200.7272 (2361)

ADAM AUDIO F7


MLSSA: Frequency Domain



mean: -511.4, rms: 516.1, std: 69.79, max: -257.2, min: -607.2

ADAM AUDIO F7


MLSSA: Frequency Domain



mean: 0.2353, rms: 0.3742, std: 0.2909, max: 3.02, min: -0.3987

ADAM AUDIO F7


MLSSA: Frequency Domain



Overlay Compare: dev= +17/-11, std= 7.1, avg= -19

ADAM AUDIO F7


MLSSA: Frequency Domain



Overlay Compare: dev= +1.4/-1.6, std= 0.53, avg= -0.64

ADAM AUDIO F7


MLSSA: Frequency Domain



Level (2597:25002 Hz) = 87.36 dB SPL/watt (4 ohms, @1.00 meters)


F7

MLSSA: Frequency Domain



-79.28 dB, 3507 Hz (79), 1.760 msec (17)


DTTO




mean: 4.247, rms: 4.247, std: 0.01582, max: 4.29, min: 4.092

ADAM AUDIO F7 TWEETER

MLSSA: Frequency Domain




DTTO



Level (67:7002 Hz) = 85.49 dB SPL/watt (4 ohms, @1.00 meters)

F7

MLSSA: Frequency Domain



-74.25 dB, 4616 Hz (104), 2.200 msec (21)

DTTO

Measured Data

QC Limits

Line	Parameter	Value	Units
1	RMSE-free	0.22	Ohms
2	Fs	52.14	Hz
3	Re	3.39	Ohms[dc]
4	Res	51.27	Ohms
5	Qms	7.58	
6	Qes	0.50	
7	Qts	0.47	
8	L1	0.32	mH
9	L2	0.65	mH
10	R2	3.37	Ohms
11	RMSE-load	0.20	Ohms
12	Vas(Sd)	13.44	liters
13	Mms	17.16	grams
14	Cms	543	μ M/Newton
15	B1	6.17	Tesla-M
16	SPLref(Sd)	87.6	dB[Re]
17	Rub-index	0.00	

Method: Mass-loaded (20.00 grams)

Area (Sd): 132.73 sq cm


DCR mode: Measure (-0.11 ohms)

QC file: CLOSED

Analysis successful. Shift in Fs = -33.0% (-20% to -50% is recommended).

ADAM AUDIO F7

MLSSA: Parameters



mean: 5.863, rms: 7.434, std: 4.571, max: 54.58, min: 3.501

MLSSA: Frequency Domain