



Level (67:17700 Hz) = 97.99 dB SPL/watt (8 ohms, @1.50 meters)

JBL URX 915M MONITOR

MLSSA: Frequency Domain




-69.19 dB, 7324 Hz (165), 2.860 msec (27)




Level (78:17800 Hz) = 98.76 dB SPL/watt (8 ohms, @1.65 meters)

JBL VRX 915M

MLSSA: Frequency Domain




-73.15 dB, 2441 Hz (55), 2.420 msec (23)



mean: 6.025e-005, rms: 0.0008645, std: 0.0008624, max: 0.003167, min: -0.002634


JBL VRX 915M

MLSSA: Time Domain



Overlay Compare: dev= +18/-9.2, std= 5.4, avg= -21


JBL VRX 915M



mean: -23.69, rms: 31.11, std: 20.16, max: 109.7, min: -61.39


JBL VRX 915M

MLSSA: Frequency Domain




Level (89:17645 Hz) = 98.87 dB SPL/watt (8 ohms, @1.65 meters) (0.33 oct)


JBL VRX 915M



JBL VRX 915M


MLSSA: Frequency Domain






JBL VRX 915M BIAMP

MLSSA: Frequency Domain




JBL VRX 915M BIAMP



mean: 9.998, rms: 10.4, std: 2.863, max: 27.21, min: 5.642


JBL URX 915M BIAMP

MLSSA: Frequency Domain




mean: 9.15, rms: 9.373, std: 2.032, max: 23.47, min: 4.269

JBL URX 915M BIAMP



JBL VRX 915M BIAMP

MLSSA: Frequency Domain



JBL VRX 915M BIAMP

Measured Data

QC Limits

Line	Parameter	Value	Units
1	RMSE-free	0.45	Ohms
2	Fs	39.64	Hz
3	Re	5.55	Ohms[dc]
4	Res	32.91	Ohms
5	Qms	2.47	
6	Qes	0.42	
7	Qts	0.36	
8	L1	0.82	mH
9	L2	1.38	mH
10	R2	6.89	Ohms
11	RMSE-load	0.61	Ohms
12	Vas(Sd)	195.35	liters
13	Mms	95.56	grams
14	Cms	169	$\mu\text{M}/\text{Newton}$
15	Bl	17.82	Tesla-M
16	SPLref(Sd)	96.5	dB[Re]
17	Rub-index	0.02	

Method: Mass-loaded (80.00 grams)

Area (Sd): 907.92 sq cm


DCR mode: Measure (-0.07 ohms)

QC file: CLOSED

Analysis successful. Shift in Fs = -25.2% (-20% to -50% is recommended).

JBL 2265HPL FROM VRX915M

MLSSA: Parameters



mean: 10.22, rms: 10.98, std: 4.027, max: 39.45, min: 5.718

MLSSA: Frequency Domain