



Level (67:20996 Hz) = 94.66 dB SPL/watt (8 ohms, @1.50 meters)

JBL SRX 712M

MLSSA: Frequency Domain




-73.06 dB, 12340 Hz (278), 2.310 msec (22)




Level (89:21595 Hz) = 95.78 dB SPL/watt (8 ohms, @1.60 meters)

JBL SRX 712M

MLSSA: Frequency Domain




-75.00 dB, 13317 Hz (300), 2.200 msec (21)



CURSOR: $dy = -29.7858$ $x = 30007.1014$ (2704)


JBL SRX 712M

MLSSA: Frequency Domain



CURSOR: $y = -1.43339e-005$ $x = 10.6480$ (968)


JBL SRX 712M



Level (89:21595 Hz) = 95.73 dB SPL/watt (8 ohms, 01.60 meters) (0.33 oct)


JBL SRX 712M

MLSSA: Frequency Domain



mean: -377.7, rms: 378.2, std: 21.12, max: -236.6, min: -410.5


JBL SRX 712M



Overlay Compare: dev= +19/-9.6, std= 5.4, avg= -21


JBL SRX 712M

MLSSA: Frequency Domain



mean: -8.015e-006, rms: 0.001139, std: 0.001139, max: 0.004675, min: -0.00298


JBL SRX 712M



mean: 7.487, rms: 7.589, std: 1.234, max: 11, min: 4.092


JBL SRX 712M BIAMP

MLSSA: Frequency Domain



mean: 8.478, rms: 8.763, std: 2.217, max: 19.86, min: 5.266


JBL SRX 712M BIAMP




mean: 14.76, rms: 23.14, std: 17.82, max: 108.3, min: 5.463

JBL SRX 712M

MLSSA: Frequency Domain






Level (100:3196 Hz) = 96.11 dB SPL/watt (8 ohms, @1.60 meters)

JBL SRX 712M

MLSSA: Frequency Domain



Level (999:16302 Hz) = 110.75 dB SPL/watt (8 ohms, @1.60 meters)

JBL SRX 712M

Measured Data

QC Limits

Line	Parameter	Value	Units
1	RMSE-free	0.48	Ohms
2	Fs	46.22	Hz
3	Re	5.09	Ohms[dc]
4	Res	22.53	Ohms
5	Qms	1.74	
6	Qes	0.39	
7	Qts	0.32	
8	L1	0.45	mH
9	L2	1.01	mH
10	R2	7.14	Ohms
11	RMSE-load	0.87	Ohms
12	Vas(Sd)	90.42	liters
13	Mms	56.03	grams
14	Cms	212	$\mu\text{M}/\text{Newton}$
15	Bl	14.52	Tesla-M
16	SPLref(Sd)	95.4	dB[Re]
17	Rub-index	0.01	

Method: Mass-loaded (60.00 grams)

Area (Sd): 551.55 sq cm


DCR mode: Measure (-0.07 ohms)

QC file: CLOSED

Analysis successful. Shift in Fs = -27.7% (-20% to -50% is recommended).

JBL 2262HPL FROM SRX712M

MLSSA: Parameters



mean: 8.662, rms: 9.258, std: 3.266, max: 28.43, min: 5.21

MLSSA: Frequency Domain