


Level (33:244 Hz) = 96.31 dB SPL/watt (8 ohms, @1.50 meters) (0.33 oct)


FUNKTION ONE MINIBASS 212

MLSSA: Frequency Domain



mean: 6.426e-007, rms: 8.185e-005, std: 8.184e-005, max: 0.0002915, min: -0.00


FUNKTION ONE MINIBASS 212




Level (100:3196 Hz) = 95.90 dB SPL/watt (16 ohms, @1.00 meters)

12" FROM MINIBASS 212

MLSSA: Frequency Domain




-74.83 dB, 2441 Hz (55), 3.190 msec (30)



mean: 15.5, rms: 21.64, std: 15.1, max: 86.88, min: 5.982

FUNKTION ONE MINIBASS 212

MLSSA: Frequency Domain



mag= 7.2, phase= 3.7 deg, 70.040 Hz (35)

Measured Data

QC Limits

Line	Parameter	Value	Units
1	RMSE-free	1.13	Ohms
2	Fs	67.75	Hz
3	Re	11.05	Ohms[dc]
4	Res	263.03	Ohms
5	Qms	10.27	
6	Qes	0.43	
7	Qts	0.41	
8	L1	1.81	mH
9	L2	3.44	mH
10	R2	11.71	Ohms
11	RMSE-load	1.43	Ohms
12	Vas(Sd)	41.54	liters
13	Mms	56.76	grams
14	Cms	97	$\mu$ M/Newton
15	B1	24.87	Tesla-M
16	SPLref(Sd)	96.6	dB[Re]
17	Rub-index	0.00	

Method: Mass-loaded (80.00 grams)

Area (Sd): 551.55 sq cm


DCR mode: Measure (-0.09 ohms)

QC file: CLOSED

Analysis successful. Shift in Fs = -36.7% (-20% to -50% is recommended).

12" FROM MINIBASS 212

MLSSA: Parameters



mean: 23.41, rms: 32.97, std: 23.21, max: 273.8, min: 11.13

MLSSA: Frequency Domain