


Level (44:244 Hz) = 101.21 dB SPL/watt (4 ohms, @1.50 meters) (0.33 oct)


FUNKTION ONE F121

MLSSA: Frequency Domain



mean: 5.696e-006, rms: 0.000213, std: 0.000213, max: 0.0008082, min: -0.0005516


FUNKTION ONE F121



Overlay Compare: dev= +0.79/-0.46, std= 0.4, avg= 0.46


FUNKTION ONE F121

MLSSA: Frequency Domain




mean: 102.30, rms: 102.51, std: 1.73, max: 104.59, min: 96.80

FUNKTION ONE F121



FUNKTION ONE F121

MLSSA: Frequency Domain



Measured Data

QC Limits

Line	Parameter	Value	Units
1	RMSE-free	0.72	Ohms
2	Fs	48.97	Hz
3	Re	3.24	Ohms[dc]
4	Res	88.67	Ohms
5	Qms	13.93	
6	Qes	0.51	
7	Qts	0.49	
8	L1	0.74	mH
9	L2	1.64	mH
10	R2	6.17	Ohms
11	RMSE-load	1.04	Ohms
12	Vas(Sd)	176.48	liters
13	Mms	232.19	grams
14	Cms	45	μ M/Newton
15	B1	21.33	Tesla-M
16	SPLref(Sd)	97.9	dB[Re]
17	Rub-index	0.03	

Method: Mass-loaded (360.00 grams)

Area (Sd): 1661.90 sq cm


DCR mode: Measure (-0.07 ohms)

QC file: CLOSED

Analysis successful. Shift in Fs = -37.0% (-20% to -50% is recommended).

21" FROM F121

MLSSA: Parameters



mean: 8.269, rms: 10.17, std: 5.918, max: 93.12, min: 3.318

MLSSA: Frequency Domain