


mean: 98.70, rms: 98.90, std: 1.69, max: 100.81, min: 94.54


ART 905-AS

MLSSA: Frequency Domain



Overlay Compare: dev= +3.2/-1.4, std= 1.7, avg= 1.4


ART 905-AS




Overlay Compare: dev= +4.5/-4.4, std= 3.3, avg= 5.1

ART 905-AS

MLSSA: Frequency Domain




mean: -8.152e-006, rms: 4.205e-005, std: 4.125e-005, max: 8.056e-005, min: -6.



Level (44:200 Hz) = 97.10 dB SPL/watt (8 ohms, @1.50 meters) (0.33 oct)


ART 905-AS PASIVE

MLSSA: Frequency Domain



mean: 5.802e-006, rms: 9.666e-005, std: 9.648e-005, max: 0.0005434, min: -0.00


ART 905-AS PASIVE




mean: 11.66, rms: 12.98, std: 5.691, max: 29.83, min: 6.071

ART 905-AS PASIV

MLSSA: Frequency Domain






Level (100:2996 Hz) = 95.55 dB SPL/watt (8 ohms, @1.50 meters)

15" FROM ART 905-AS

MLSSA: Frequency Domain



-78.44 dB, 2619 Hz (59), 3.410 msec (32)

Measured Data

QC Limits

Line	Parameter	Value	Units
1	RMSE-free	0.36	Ohms
2	Fs	59.81	Hz
3	Re	5.67	Ohms[dc]
4	Res	66.65	Ohms
5	Qms	6.70	
6	Qes	0.57	
7	Qts	0.53	
8	L1	1.07	mH
9	L2	2.15	mH
10	R2	7.52	Ohms
11	RMSE-load	0.70	Ohms
12	Vas(Sd)	69.59	liters
13	Mms	117.81	grams
14	Cms	60	$\mu\text{M}/\text{Newton}$
15	B1	20.98	Tesla-M
16	SPLref(Sd)	96.0	dB[Re]
17	Rub-index	0.08	

Method: Mass-loaded (80.00 grams)

Area (Sd): 907.92 sq cm


DCR mode: Measure (-0.08 ohms)

QC file: CLOSED

Analysis successful. Shift in Fs = -25.9% (-20% to -50% is recommended).


15" FROM ART 905-AS

MLSSA: Parameters



mean: 11.98, rms: 13.64, std: 6.523, max: 72.66, min: 5.749


MLSSA: Frequency Domain



Level (44:200 Hz) = 97.64 dB SPL/watt (8 ohms, @1.50 meters) (0.33 oct)


ART 905-AS PASIVE + MB15H401

MLSSA: Frequency Domain



mean: 2.289e-006, rms: 8.445e-005, std: 8.442e-005, max: 0.0003998, min: -0.00


ART 905-AS PASIVE + MB15H401



Level (44:200 Hz) = 98.36 dB SPL/watt (8 ohms, @1.50 meters) (0.33 oct)

ART 905-AS PASIVE + MB15H401

MLSSA: Frequency Domain



mean: 12.68, rms: 15.33, std: 8.613, max: 42.5, min: 5.664

ART 905-AS PASIVE + MB15H401