



E-shop: <http://eshop.prodance.cz/nx-m22a-mkii/d-97094/>



mean: 99.20, rms: 100.22, std: 3.60, max: 107.74, min: 76.93


NX M22-A MK II

MLSSA: Frequency Domain



-68.29 dB, 1021 Hz (23), 2.200 msec (21)


E-shop: <http://eshop.prodance.cz/nx-m22a-mkii/d-97094/>



mean: 0.0003445, rms: 0.002446, std: 0.002421, max: 0.005742, min: -0.003646

NX M22-A MK II


MLSSA: Time Domain



mean: -502.5, rms: 505.1, std: 51.56, max: -212.2, min: -559.1

NX M22-A MK II


E-shop: <http://eshop.prodance.cz/nx-m22a-mkii/d-97094/>



mean: 0.2011, rms: 0.4046, std: 0.3511, max: 5.215, min: -0.2063

NX M22-A MK II


MLSSA: Frequency Domain



Overlay Compare: dev= +1.8/-1.5, std= 0.2, avg= -0.033

NX M22-A MK II


E-shop: <http://eshop.prodance.cz/nx-m22a-mkii/d-97094/>



Overlay Compare: dev= +23/-12, std= 7.1, avg= -26

NX M22-A MK II

MLSSA: Frequency Domain




Overlay Compare: dev= +13/-10, std= 1.2, avg= -0.42

NX M22-A MK II

CALL -


E-shop: <http://eshop.prodance.cz/nx-m22a-mkii/d-97094/>



mean: 96.21, rms: 96.49, std: 2.01, max: 100.09, min: 86.06


NX M22-A MK II

MLSSA: Frequency Domain



-68.44 dB, 15581 Hz (351), 4.730 msec (44)


E-shop: <http://eshop.prodance.cz/nx-m22a-mkii/d-97094/>



Level (100:5704 Hz) = 96.17 dB SPL/watt (4 ohms, @1.00 meters)

12" FROM NX M22-A MK II

MLSSA: Frequency Domain



-68.72 dB, 2797 Hz (63), 3.190 msec (30)

E-shop: <http://eshop.prodance.cz/nx-m22a-mkii/d-97094/>

MLSSA SPO 4.0D #960903-3057-3075

Measured Data

Line	Parameter	Value	Units
1	RMSE-free	0.23	Ohms
2	Fs	55.23	Hz
3	Re	2.74	Ohms[dc]
4	Res	61.99	Ohms
5	Qms	7.36	
6	Qes	0.32	
7	Qts	0.31	
8	L1	0.45	mH
9	L2	0.80	mH
10	R2	2.27	Ohms
11	RMSE-load	0.18	Ohms
12	Vas(Sd)	75.23	liters
13	Mms	43.71	grams
14	Cms	190	$\mu\text{M}/\text{Newton}$
15	B1	11.31	Tesla-M
16	SPLref(Sd)	97.7	dB[Re]
17	Rub-index	0.00	

Method: Mass-loaded (80.00 grams)

Area (Sd): 530.93 sq cm


DCR mode: Measure (-0.07 ohms)

QC file: CLOSED

Analysis successful. Shift in Fs = -39.1% (-20% to -50% is recommended).

12" FROM NX M22A MK II

MLSSA: Parameters



mean: 5.676, rms: 8.128, std: 5.818, max: 64.4, min: 2.795

MLSSA: Frequency Domain