



eShop: <http://eshop.prodance.cz/artist-6h-black/d-95862/>




mean: 86.91, rms: 87.25, std: 2.16, max: 90.99, min: 78.57

ARTIST 6H

MLSSA: Frequency Domain



-84.15 dB, 1687 Hz (38), 5.390 msec (50)





---

mean:  $-7.831e-005$ , rms: 0.00194, std: 0.001939, max: 0.005949, min: -0.003119

---

ARTIST 6H

MLSSA: Time Domain





---

mean: -406.8, rms: 408.1, std: 32.74, max: -232.7, min: -453.6

---


ARTIST 6H



mean: 0.1839, rms: 0.3488, std: 0.2964, max: 3.892, min: -0.5553


ARTIST 6H

MLSSA: Frequency Domain



CURSOR: y = 83.2325 x = 24003.4616 (2163)

ARTIST 6H




CURSOR: y = 85.4057 x = 24003.4616 (2163)

ARTIST 6H


9-24-92 6:09 AM

MLSSA: Frequency Domain



Overlay Compare: dev= +20/-11, std= 7.9, avg= -20

ARTIST 6H




Overlay Compare: dev= +0.73/-0.92, std= 0.29, avg= -0.42

ARTIST 6H


9-24-92 2:11 PM

MLSSA: Frequency Domain



Overlay Compare: dev= +11/-9.4, std= 6.3, avg= -11

ARTIST 6H





---

Level (55:11508 Hz) = 83.39 dB SPL/watt (4 ohms, @1.00 meters)

---

4.5" FROM ARTIST 6H

MLSSA: Frequency Domain



-78.78 dB, 6126 Hz (138), 2.530 msec (24)

Measured Data

QC Limits

Line	Parameter	Value	Units
1	RMSE-free	0.10	Ohms
2	Fs	65.69	Hz
3	Re	3.07	Ohms[dc]
4	Res	25.20	Ohms
5	Qms	3.58	
6	Qes	0.44	
7	Qts	0.39	
8	L1	0.21	mH
9	L2	0.26	mH
10	R2	1.14	Ohms
11	RMSE-load	0.10	Ohms
12	Vas(Sd)	3.59	liters
13	Mms	5.81	grams
14	Cms	1010	$\mu\text{M}/\text{Newton}$
15	Bl	4.11	Tesla-M
16	SPLref(Sd)	85.5	dB[Re]
17	Rub-index	0.01	

Method: Mass-loaded (5.00 grams)

Area (Sd): 50.27 sq cm


DCR mode: Measure (-0.08 ohms)

QC file: CLOSED

Analysis successful. Shift in Fs = -27.1% (-20% to -50% is recommended).

4.5" FROM ARTIST 6H

MLSSA: Parameters



mean: 4.727, rms: 5.86, std: 3.464, max: 28.58, min: 3.13

MLSSA: Frequency Domain