



E-shop: <http://eshop.prodance.cz/f5/d-97135/>




mean: 87.05, rms: 87.34, std: 2.02, max: 90.61, min: 79.11

ADAM AUDIO F5

MLSSA: Frequency Domain




-84.44 dB, 1731 Hz (39), 4.620 msec (43)




ADAM AUDIO F5

MLSSA: Frequency Domain




ADAM AUDIO F5



CURSOR: y = 73.5039 x = 25002.2187 (2253)


ADAM AUDIO F5

MLSSA: Frequency Domain




mean: 4.221e-005, rms: 0.0004904, std: 0.0004886, max: 0.001378, min: -0.00078

ADAM AUDIO F5




ADAM AUDIO F5

MLSSA: Frequency Domain



ADAM AUDIO F5




Overlay Compare: dev= +1.7/-1, std= 0.54, avg= -0.57

ADAM AUDIO F5

11-20-92 6:44 PM


MLSSA: Frequency Domain




Level (3706:22006 Hz) = 88.48 dB SPL/watt (4 ohms, @1.00 meters)

TWEETER FROM F5

MLSSA: Frequency Domain



-79.01 dB, 3018 Hz (68), 1.540 msec (15)




Level (55:10010 Hz) = 86.61 dB SPL/watt (4 ohms, @1.00 meters)

5" FROM F5

11-18-92 6:39 AM

MLSSA: Frequency Domain



-74.65 dB, 843 Hz (19), 2.420 msec (23)

Measured Data

QC Limits

Line	Parameter	Value	Units
1	RMSE-free	0.16	Ohms
2	Fs	67.99	Hz
3	Re	3.09	Ohms[dc]
4	Res	32.65	Ohms
5	Qms	6.83	
6	Qes	0.65	
7	Qts	0.59	
8	L1	0.28	mH
9	L2	0.37	mH
10	R2	1.64	Ohms
11	RMSE-load	0.13	Ohms
12	Vas(Sd)	6.23	liters
13	Mms	9.57	grams
14	Cms	573	$\mu\text{M}/\text{Newton}$
15	B1	4.42	Tesla-M
16	SPLref(Sd)	86.6	dB[Re]
17	Rub-index	0.01	

Method: Mass-loaded (10.00 grams)

Area (Sd): 88.00 sq cm


DCR mode: Measure (-0.07 ohms)

QC file: CLOSED

Analysis successful. Shift in Fs = -31.7% (-20% to -50% is recommended).

5" FROM F5

MLSSA: Parameters



mean: 4.834, rms: 6.324, std: 4.077, max: 35.7, min: 3.165

MLSSA: Frequency Domain