



E-shop: <http://eshop.prodance.cz/vfr109/d-96040/>




Level (78:19498 Hz) = 93.84 dB SPL/watt (8 ohms, @1.65 meters)

EAW UFR109

MLSSA: Frequency Domain



-74.45 dB, 7502 Hz (169), 2.750 msec (26)




mean: 0.0003183, rms: 0.0009847, std: 0.0009319, max: 0.005026, min: -0.001154

EAW VFR109


11-21-92 8:28 PM

MLSSA: Time Domain



mean: -331.5, rms: 332.8, std: 29.43, max: -220.9, min: -381.6

EAW VFR109




mean: 0.4427, rms: 0.5249, std: 0.2819, max: 3.846, min: -0.5515

EAW VFR109


11-21-92 8:29 PM

MLSSA: Frequency Domain



Overlay Compare: dev= +20/-6.9, std= 5.1, avg= -22


EAW VFR109



CURSOR: y = 85.3189 x = 20000.4333 (1803)


EAW VFR109

MLSSA: Frequency Domain



mean: 15.76, rms: 22.79, std: 16.45, max: 103.1, min: 5.818

EAW VFR109




Level (100:6503 Hz) = 95.04 dB SPL/watt (8 ohms, @1.00 meters)

10" FROM VFR109

11-18-92 3:29 AM

MLSSA: Frequency Domain



-75.00 dB, 4173 Hz (94), 3.190 msec (30)

Measured Data

QC Limits

Line	Parameter	Value	Units
1	RMSE-free	0.42	Ohms
2	Fs	71.25	Hz
3	Re	5.10	Ohms[dc]
4	Res	39.46	Ohms
5	Qms	3.56	
6	Qes	0.46	
7	Qts	0.41	
8	L1	0.47	mH
9	L2	0.98	mH
10	R2	4.34	Ohms
11	RMSE-load	0.54	Ohms
12	Vas(Sd)	33.49	liters
13	Mms	27.58	grams
14	Cms	181	$\mu\text{M}/\text{Newton}$
15	B1	11.70	Tesla-M
16	SPLref(Sd)	96.0	dB[Re]
17	Rub-index	0.01	

Method: Mass-loaded (40.00 grams)

Area (Sd): 363.05 sq cm


DCR mode: Measure (-0.07 ohms)

QC file: CLOSED

Analysis successful. Shift in Fs = -36.0% (-20% to -50% is recommended).

10" FROM VFR109

MLSSA: Parameters



mean: 8.717, rms: 10.26, std: 5.407, max: 44.74, min: 5.197

MLSSA: Frequency Domain