



E-shop: <http://eshop.prodance.cz/art-902as/d-92795/>



mean: 97.33, rms: 97.70, std: 2.28, max: 99.92, min: 87.96


ART902-AS

MLSSA: Frequency Domain



mean: -5.568e-006, rms: 4.568e-005, std: 4.534e-005, max: 8.9e-005, min: -8.86


ART902-AS




mean: 12.98, rms: 15.43, std: 8.351, max: 47.44, min: 6.317

ART902-AS

MLSSA: Frequency Domain






Level (100:3407 Hz) = 93.05 dB SPL/watt (8 ohms, 01.00 meters)

ART902-AS

MLSSA: Frequency Domain



-80.00 dB, 2663 Hz (60), 3.300 msec (31)

Measured Data

QC Limits

Line	Parameter	Value	Units
1	RMSE-free	0.41	Ohms
2	Fs	50.50	Hz
3	Re	5.78	Ohms[dc]
4	Res	87.01	Ohms
5	Qms	4.61	
6	Qes	0.31	
7	Qts	0.29	
8	L1	1.24	mH
9	L2	1.79	mH
10	R2	5.60	Ohms
11	RMSE-load	0.50	Ohms
12	Vas(Sd)	60.46	liters
13	Mms	65.03	grams
14	Cms	153	$\mu\text{M}/\text{Newton}$
15	B1	19.73	Tesla-M
16	SPLref(Sd)	95.9	dB[Re]
17	Rub-index	0.01	

Method: Mass-loaded (80.00 grams)

Area (Sd): 530.93 sq cm


DCR mode: Measure (-0.07 ohms)

QC file: CLOSED

Analysis successful. Shift in Fs = -32.6% (-20% to -50% is recommended).

12" FROM ART902-AS

MLSSA: Parameters



mean: 12.31, rms: 15.48, std: 9.392, max: 92.5, min: 5.857

MLSSA: Frequency Domain