


E-shop:


<http://eshop.prodance.cz/art-710a-mkii/d-97055/>




mean: 97.93, rms: 98.23, std: 2.05, max: 103.44, min: 85.80

ART710-A MK II

MLSSA: Frequency Domain




-69.73 dB, 1287 Hz (29), 2.970 msec (28)



mean: 1.515e-005, rms: 0.001662, std: 0.001662, max: 0.004771, min: -0.002653


ART710-A MK II

MLSSA: Time Domain



Overlay Compare: dev= +2.8/-2.3, std= 0.59, avg= -0.35


ART710-A MK II



mean: -456.5, rms: 459.5, std: 52.82, max: -176.6, min: -525


ART710-A MK II

MLSSA: Frequency Domain



mean: 0.438, rms: 0.565, std: 0.3569, max: 5.988, min: 0.1608


ART710-A MK II



Overlay Compare: dev= +22/-13, std= 7.9, avg= -25


ART710-A MK II

MLSSA: Frequency Domain



CURSOR: y = 87.1787 x = 21195.8445 (1910)


ART710-A MK II



Stimulus off

ART710-A MK II

MLSSA: Frequency Domain



-74.41 dB, 2397 Hz (54), 3.190 msec (30)

Measured Data

QC Limits

Line	Parameter	Value	Units
1	RMSE-free	0.37	Ohms
2	Fs	70.15	Hz
3	Re	3.71	Ohms[dc]
4	Res	60.59	Ohms
5	Qms	5.84	
6	Qes	0.36	
7	Qts	0.34	
8	L1	0.50	mH
9	L2	0.91	mH
10	R2	3.12	Ohms
11	RMSE-load	0.39	Ohms
12	Vas(Sd)	34.11	liters
13	Mms	25.42	grams
14	Cms	202	$\mu\text{M}/\text{Newton}$
15	B1	10.78	Tesla-M
16	SPLref(Sd)	97.0	dB[Re]
17	Rub-index	0.00	

Method: Mass-loaded (40.00 grams)

Area (Sd): 346.36 sq cm


DCR mode: Measure (-0.07 ohms)

QC file: CLOSED

Analysis successful. Shift in Fs = -37.0% (-20% to -50% is recommended).

ART710A MK II

MLSSA: Parameter



mean: 7.448, rms: 10.18, std: 6.937, max: 64.63, min: 3.75

MLSSA: Frequency Domain