


**E-shop:**

Eminence LEGEND BP 102


<http://eshop.prodance.cz/legend-bp-102-8-ohm/d-97781/>



Level (67:2464 Hz) = 89.65 dB SPL/watt (8 ohms, @1.00 meters)

LEGEND BP 102

MLSSA: Frequency Domain



-73.94 dB, 1909 Hz (43), 2.860 msec (27)

DTTO

## Measured Data

QC Limits

Line	Parameter	Value	Units
1	RMSE-free	0.34	Ohms
2	Fs	42.46	Hz
3	Re	5.59	Ohms[dc]
4	Res	141.26	Ohms
5	Qms	12.54	
6	Qes	0.50	
7	Qts	0.48	
8	L1	1.08	mH
9	L2	1.20	mH
10	R2	4.39	Ohms
11	RMSE-load	0.40	Ohms
12	Vas(Sd)	65.83	liters
13	Mms	35.96	grams
14	Cms	391	$\mu\text{M}/\text{Newton}$
15	B1	10.39	Tesla-M
16	SPLref(Sd)	91.9	dB[Re]
17	Rub-index	0.00	

Method: Mass-loaded (40.00 grams)

Area (Sd): 346.36 sq cm


DCR mode: Measure (-0.07 ohms)

QC file: CLOSED

Analysis successful. Shift in Fs = -30.3% (-20% to -50% is recommended).

EMINENCE LEGEND BP102

MLSSA: Parameters




---

mean: 10.4, rms: 13.92, std: 9.245, max: 141.8, min: 5.616

---

MLSSA: Frequency Domain