


Level (33:144 Hz) = 100.31 dB SPL/watt (8 ohms, @1.50 meters)

KV2 KX1.5


MLSSA: Frequency Domain



mean: -5.063e-006, rms: 4.872e-005, std: 4.846e-005, max: 7.756e-005, min: -8.

KV2 KX1.5


MLSSA: Time Domain



Level (44:166 Hz) = 99.08 dB SPL/watt (8 ohms, @1.50 meters)

KV2 KX1.5 PASIU


MLSSA: Frequency Domain



mean: 3.83e-007, rms: 6.578e-005, std: 6.578e-005, max: 0.000173, min: -0.0002


KV2 KX1.5 PASIU

MLSSA: Time Domain



KV2 KX1.5

MLSSA: Frequency Domain



DTTO

Measured Data

QC Limits

Line	Parameter	Value	Units
1	RMSE-free	0.55	Ohms
2	Fs	36.51	Hz
3	Re	4.71	Ohms[dc]
4	Res	144.74	Ohms
5	Qms	7.05	
6	Qes	0.23	
7	Qts	0.22	
8	L1	0.53	mH
9	L2	1.41	mH
10	R2	6.47	Ohms
11	RMSE-load	0.55	Ohms
12	Vas(Sd)	217.95	liters
13	Mms	89.60	grams
14	Cms	212	$\mu\text{M}/\text{Newton}$
15	B1	20.55	Tesla-M
16	SPLref(Sd)	98.5	dB[Re]
17	Rub-index	0.00	

Method: Mass-loaded (80.00 grams)

Area (Sd): 855.30 sq cm


DCR mode: Measure (-0.15 ohms)

QC file: CLOSED

Analysis successful. Shift in Fs = -26.5% (-20% to -50% is recommended).

15" FROM KX1.5


MLSSA: Parameters



mean: 10.22, rms: 15.48, std: 11.62, max: 148.3, min: 4.918

KV2 KX1.5


MLSSA: Frequency Domain



mean: 97.52, rms: 97.69, std: 1.58, max: 99.44, min: 93.78

KX1.5 + LF15G401


MLSSA: Frequency Domain



Overlay Compare: dev= +0.91/-0.54, std= 0.55, avg= 1.7

KX1.5 + LF15G401 /ORIG. —


MLSSA: Frequency Domain



mean: 18.88, rms: 12, std: 5.066, max: 27.11, min: 5.844

KX1.5 + LF15G401

MLSSA: Frequency Domain



DTTO